

## Typical Last Average Spring Frost Dates in Michigan

Averages are exactly that - Averages ! This means that the dates can vary by a week or two either way. These dates have been researched and should give you a good idea of last average frost dates. Our Garden Guide, using the date you send to us, will help determine dates for both cool and warm season plantings. Happy Gardening! - Jim & Kate

Adrian 2 NNE	5/17
Allegan 5 NE	5/26
Alma	5/19
Alpena Collins Airport	6/6
Alpena WWater Plant	5/19
Ann Arbor	5/10
Atlanta 5 WNW	6/10
Bad Axe	5/22
Baldwin	6/11
Battle Creek 5 NW	5/24
Benton Harbor Airport	5/21
Bergland Dam	6/16
Big Rapids	6/1
Bloomington	5/29
Boyer Falls	6/19
Cadillac	6/21
Caro Rgnl Airport	6/1
Champion Van Riper Park	7/9
Charlotte	5/24
Cheboygan	5/29
Coldwater State School	5/15
Cross Village 1 S	6/6
Dearborn	5/13
Detour Village	5/24
Detroit Metro Airport	5/10
Dowagiac 1 W	5/22
East Jordah	6/10
East Lansing 4 S	5/21
East Tawas	6/3
Eau Claire 4 NE	5/10
Escanaba	5/21
Flint Bishop Intl Airport	5/21
Frankfort 2 NE	5/23
Gaylord	6/11
Gladwin	6/4
Grand Haven	5/6
Grand Marais 2 E	7/1
Grand Rapids Intl Airport	5/16
Grayling	6/21
Greenville 2 NNE	5/26
Grosse Point Farms	5/7
Gull Lake Biol STA	5/14
Hale Loud Dam	5/30
Harbor Beach 1 SSE	5/16
Harrisville 2 NNE	5/27
Hart	5/27
Hastings	5/25

Herman	6/30
Hesperia 4 WNW	6/9
Hillsdale	5/27
Holland	5/21
Houghton CO Airport (Hancock)	5/25
Houghton Lake 6 WSW	6/27
Houghton Lake Roscommon	6/8
Ionia 2 SSW	5/22
Iron Mtn-Kingsford	6/7
Ironwood	6/12
Jackson CO Airport	5/20
Kalkaska	6/14
Kenton	7/1
Lake City EXP Farm	6/21
Lansing Capital City Airport	5/28
Lapeer	6/26
Ludington 3 SE	5/31
Lupton 1 S	6/25
Manistee 3 SE	5/29
Manistique	5/30
Maple City	6/9
Marquette	5/26
Marquette CO Airport	6/12
Midland	5/19
Milford GM Proving Ground	5/16
Mio Hydro Plant	7/7
Monroe	5/6
Montague 4 NW	6/6
Mount Clemens ANG Base	5/10
Mt Pleasant Univ	5/18
Munising	6/13
Muskegon County Airport	5/18
Newberry 3 S	6/16
Onaway State Park	5/30
Owosso	5/21
Pellston Rgnl Airport	6/14
Petoskey	5/26
Port Huron	5/11
Saginaw Tri State Airport	5/12
St James S Beaver IS	6/2
St Johns	5/18
Sandusky	5/19



**TIPPOLLY FARM**

[www.tippolly.com](http://www.tippolly.com)

Copyright 2010 © Tippolly Farm

Source: National Climatic Data Center - U.S. Department of Commerce (50% Probability of frost 36 degrees F)  
 \*\*\*\*\*Note: Have some row cover material handy in case a frost is predicted later than expected.\*\*\*\*\*

## Typical Last Average Spring Frost Dates in Michigan

Averages are exactly that - Averages ! This means that the dates can vary by a week or two either way. These dates have been researched and should give you a good idea of last average frost dates. Our Garden Guide, using the date you send to us, will help determine dates for both cool and warm season plantings. Happy Gardening! - Jim & Kate

Sault STE Marie Airport	6/12
Seney Wildlife Refuge	6/9
South Haven	5/8
Stambaugh 2 SSE	7/1
Standish 5 SW	6/1
Stephenson 8 WNW	6/13
Tahquamenon Falls ST PK	7/9
Three Rivers	5/17
Vanderbilt 11 ENE	7/7
West Branch 3 SE	6/2
Whitefish Point	6/15
Ypsilanti E Mich Univ	5/5



**TIPPOLLY FARM**

[www.tippolly.com](http://www.tippolly.com)

Copyright 2010 © Tippolly Farm

Source: National Climatic Data Center - U.S. Department of Commerce (50% Probability of frost 36 degrees F)

\*\*\*\*\*Note: Have some row cover material handy in case a frost is predicted later than expected.\*\*\*\*\*

## Freeze/Frost Occurance Data

Q. If frost cannot occur at temperatures above 32 degrees F, then why does Tippolly Farm use the National Climatic Data Center's 36 degree F portion of the NOAA Freeze/Frost Table?

A. You may have seen a few websites that reference the 32 Degree F portion of the table to give recommended average frost dates. While that seems logical, one needs to understand that frost will occur at ground level before it will at a slightly higher elevation. The official weather measurements are actually taken in an instrument shelter that is between 1.25 and 2 meters (4.1 to 6.6 ft) above ground level in special instrument shelters that are called Stevenson Screens. That recorded temperature is what is reported on radio, TV, newspapers, the internet, etc. They refer to this as the "Surface Temperature", although it is not actually the surface of the ground where plants are generally located.

The NOAA tables also include a 36 degree F table, which is a close approximation of the temperature at the Stevenson Screen when the ground surface is at 32 degrees F. You can view this complete table (including fall frost dates), at:

[http://cdo.ncdc.noaa.gov/cgi-bin/climatenormals/climatenormals.pl?directive=prod\\_select2&prodtype=CLIM2001&ubnum%20to%20Freeze/Frost%20Data%20from%20the%20U.S.%20Climate%20NormaIs](http://cdo.ncdc.noaa.gov/cgi-bin/climatenormals/climatenormals.pl?directive=prod_select2&prodtype=CLIM2001&ubnum%20to%20Freeze/Frost%20Data%20from%20the%20U.S.%20Climate%20NormaIs)

Even though you may still need to use a good row cover when frost is predicted (we use the 50% probability data), we feel that it is safer, will be less work, and you will have healthier crops if you wait until the 36 Degree F average rolls around. Of course there are also areas called "Micro Climates" like we have here at Tippolly Farm. Our pond is always cooler than it is where we have our raised vegetable beds (which are uphill). Raised beds will also tend to be warmer than the ground temperature.

If you live in a very cold climate, you may not be able to plant a fall crop and in that case, you may need to dismiss the fall dates on the Vegetable Planting Guide.

So pick a convenient spot to plant your garden, follow our timetable for planting based on whatever average frost date that you gave us, and most of all, enjoy the fruits of your efforts.

If there is a number and designation like "16 NNE", that means the governments location of the test enclosure is 16 miles North Northeast of the center of the Town in question.



[www.tippolly.com](http://www.tippolly.com)